





**Ionad Fóillíochta na
Coirre Críochai**

**Cookstown
Leisure Centre**

Internal Signage





Lower Ground Floor



Size Spec

600	Height	600	Width	0	Depth	(mm)
Braille		☐	Yes	☒	No	

Text Spec

Font 1: Helvetica Regular		Font 2:	
Size:	Points (pt)	Size:	Points (pt)
Leading	Points (pt)	Leading	Points (pt)
X-height	mm	X-height	mm


Colour Spec

Colour 1	Colour 2
CMYK Value	
HEX Value	
Pantone (PMS)	
RAL	
Light Reflective Value (LRV)	

Material Spec

Frosted vinyl applied to glass,
Printed vinyl applied to glass

Approved Irish spelling:



Size Spec

1524	Height	1524	Width	0	Depth	(mm)
Braille		☐	Yes	☒	No	

Text Spec

Font 1: Helvetica Regular			Font 2: Helvetica Regular		
Size:	400	Points (pt)	Size:	154	Points (pt)
Leading	600	Points (pt)	Leading	270	Points (pt)
X-height	75	mm	X-height	30	mm

Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

5mm Acrylic panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel

Approved Irish spelling:



Size Spec

300	Height	210	Width	0	Depth	(mm)
Braille		☒ Yes	☐ No			

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	85	Points (pt)	Size:		Points (pt)
Leading	240	Points (pt)	Leading		Points (pt)
X-height	16	mm	X-height		mm


Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel

Approved Irish spelling:



Size Spec

1000	Height	1500	Width	0	Depth	(mm)
Braille		☐	Yes	☒	No	

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	196	Points (pt)	Size:		Points (pt)
Leading	389	Points (pt)	Leading		Points (pt)
X-height	37	mm	X-height		mm

Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel

Approved Irish spelling:



Size Spec

210	Height	300	Width	5	Depth	(mm)
Braille		☒ Yes	☐ No			

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	105	Points (pt)	Size:		Points (pt)
Leading	215	Points (pt)	Leading		Points (pt)
X-height	20	mm	X-height		mm


Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel
Braille Text

Approved Irish spelling:



Size Spec

210	Height	300	Width	5	Depth	(mm)
Braille		☒ Yes	☐ No			

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	105	Points (pt)	Size:		Points (pt)
Leading	215	Points (pt)	Leading		Points (pt)
X-height	20	mm	X-height		mm


Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel
Braille Text

Approved Irish spelling:



Size Spec

250	Height	1000	Width	5	Depth	(mm)
Braille		☐ Yes	☒ No			

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	260	Points (pt)	Size:		Points (pt)
Leading	341	Points (pt)	Leading		Points (pt)
X-height	50	mm	X-height		mm


Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel

Approved Irish spelling:



Size Spec

400	Height	600	Width	5	Depth	(mm)
Braille		☐	Yes	☒	No	

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	133	Points (pt)	Size:		Points (pt)
Leading	161	Points (pt)	Leading		Points (pt)
X-height	26	mm	X-height		mm

Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel

Approved Irish spelling:



Size Spec

500	Height	1220	Width	5	Depth	(mm)
Braille		☐ Yes	☒ No			

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	285	Points (pt)	Size:	Points (pt)	
Leading	298	Points (pt)	Leading	Points (pt)	
X-height	53	mm	X-height	mm	

Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel

Approved Irish spelling:

**Size Spec**

Height	Width	5	Depth	(mm)
Braille	☐ Yes		☒ No	

Text Spec

Font 1:		Font 2:	
Size:	Points (pt)	Size:	Points (pt)
Leading	Points (pt)	Leading	Points (pt)
X-height	mm	X-height	mm


Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Refresh Logo
- Raised foam-cut letters adhered to brushed silver panel

Approved Irish spelling:



Size Spec

210	Height	300	Width	Depth	(mm)
	Braille	☒	Yes	☐	No

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	161	Points (pt)	Size:		Points (pt)
Leading	175	Points (pt)	Leading		Points (pt)
X-height	30	mm	X-height		mm


Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel
Braille Text

Approved Irish spelling:



Size Spec

210	Height	300	Width	Depth	(mm)
Braille		☒ Yes	☐ No		

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	100	Points (pt)	Size:	Points (pt)	
Leading	108	Points (pt)	Leading	Points (pt)	
X-height	18	mm	X-height	mm	

Colour Spec

Colour 1		Colour 2	
CMYK Value		C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value		#e6e7e8	#1e2727
Pantone (PMS)		Pantone 663C	Pantone 447CP
RAL		RAL9003	RAL9011
Light Reflective Value (LRV)		83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel
Braille Text

Approved Irish spelling:

Size Spec

210	Height	300	Width	Depth	(mm)
	Braille	☒	Yes	☐	No

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	84	Points (pt)	Size:		Points (pt)
Leading	186	Points (pt)	Leading		Points (pt)
X-height	15	mm	X-height		mm

Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel
Braille Text

Approved Irish spelling:



Pobail ghníomhacha Snámh cóiste

Active Communities Swim Coach

Figure 1

Size Spec

210	Height	300	Width	Depth	(mm)
	Braille	☒	Yes	☐	No

Text Spec

Font 1: Helvetica Regular			Font 2:	
Size:	84	Points (pt)	Size:	Points (pt)
Leading	186	Points (pt)	Leading	Points (pt)
X-height	15	mm	X-height	mm

Colour Spec

Colour Spec	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel
Braille Text

Approved Irish spelling:

Limistéar atá ag athrú snámha

Pool Changing Area

Pool Changing Area

Size Spec

210	Height	300	Width	Depth	(mm)
	Braille	☒	Yes	☐	No

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	84	Points (pt)	Size:		Points (pt)
Leading	186	Points (pt)	Leading		Points (pt)
X-height	15	mm	X-height		mm

Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel
Braille Text

Approved Irish spelling:



Size Spec

Height	Width	Depth	(mm)
Braille	☐ Yes	☒ No	

Text Spec

Font 1: Helvetica Regular		Font 2:	
Size:	84	Points (pt)	Size: Points (pt)
Leading	186	Points (pt)	Leading Points (pt)
X-height	15	mm	X-height mm

Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel

Approved Irish spelling:



Size Spec

300	Height	1500	Width	Depth	(mm)
Braille		☐ Yes	☒ No		

Text Spec

Font 1: Helvetica Regular			Font 2:	
Size:	282	Points (pt)	Size:	Points (pt)
Leading	428	Points (pt)	Leading	Points (pt)
X-height	53	mm	X-height	mm

Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel

Approved Irish spelling:



Size Spec

200	Height	150	Width	Depth	(mm)
Braille		☒ Yes	☐ No		

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	24	Points (pt)	Size:		Points (pt)
Leading	30	Points (pt)	Leading		Points (pt)
X-height	5	mm	X-height		mm


Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel
Braille Text

Approved Irish spelling:



Size Spec

210	Height	300	Width	Depth	(mm)
Braille		☒ Yes	☐ No		

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	100	Points (pt)	Size:	Points (pt)	
Leading	Points (pt)		Leading	Points (pt)	
X-height	19	mm	X-height	mm	

Colour Spec

Colour 1		Colour 2			
CMYK Value		C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69		
HEX Value		#e6e7e8	#1e2727		
Pantone (PMS)		Pantone 663C	Pantone 447CP		
RAL		RAL9003	RAL9011		
Light Reflective Value (LRV)		83	2		

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel
Braille Text

Approved Irish spelling:



Size Spec

250	Height	350	Width	5	Depth	(mm)
Braille		☒ Yes	☐ No			

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	88	Points (pt)	Size:		Points (pt)
Leading	110	Points (pt)	Leading		Points (pt)
X-height	18	mm	X-height		mm

Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

5mm Acrylic panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel
Braille Text

Approved Irish spelling:

Ag athrú fir
seomra



Male Changing
Room



Size Spec

210	Height	300	Width	5	Depth	(mm)
Braille		☒ Yes	☐ No			

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	85	Points (pt)	Size:		Points (pt)
Leading	110	Points (pt)	Leading		Points (pt)
X-height	16	mm	X-height		mm

Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

5mm Acrylic panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel
Braille Text - Female changing

Approved Irish spelling:



Size Spec

210	Height	300	Width	5	Depth	(mm)
Braille		☒ Yes	☐ No			

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	85	Points (pt)	Size:		Points (pt)
Leading	110	Points (pt)	Leading		Points (pt)
X-height	16	mm	X-height		mm

Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

5mm Acrylic panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel
Braille Text - Female changing

Approved Irish spelling:



Athrú grúpa 1 & 2



Athrú Teaghlaigh



Athruithe inrochtana do chathaoireacha rothaí



Group Change 1 & 2



Family Change



Wheelchair Accessible Changing



Size Spec

750	Height	650	Width	5	Depth	(mm)
		Braille	☐ Yes	☒ No		

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	136	Points (pt)	Size:		Points (pt)
Leading	220	Points (pt)	Leading		Points (pt)
X-height	27	mm	X-height		mm

Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

5mm Acrylic panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel

Approved Irish spelling:

Fógra do chustaiméirí
 Lucht féachana Ar bhainc
 linne Go docht Toirmiscthe

Customer notice
 Spectators on pool bank
 strictly prohibited

Size Spec

300	Height	700	Width	5	Depth	(mm)
	Braille	☐ Yes			☒ No	

Text Spec

Font 1: Helvetica Regular			Font 2:	
Size:	197	Points (pt)	Size:	Points (pt)
Leading	245	Points (pt)	Leading	Points (pt)
X-height	40	mm	X-height	mm

Colour Spec


	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel

Approved Irish spelling:





Size Spec

300	Height	700	Width	5	Depth	(mm)
		Braille	☐ Yes	☒ No		

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	197	Points (pt)	Size:		Points (pt)
Leading	245	Points (pt)	Leading		Points (pt)
X-height	40	mm	X-height		mm

Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel

Approved Irish spelling:



Size Spec

300	Height	210	Width	0	Depth	(mm)
Braille		☒ Yes	☐ No			

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	85	Points (pt)	Size:		Points (pt)
Leading	240	Points (pt)	Leading		Points (pt)
X-height	16	mm	X-height		mm

Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel
Braille text

Approved Irish spelling:



Size Spec

300	Height	210	Width	0	Depth	(mm)
Braille		☒ Yes	☐ No			

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	85	Points (pt)	Size:		Points (pt)
Leading	240	Points (pt)	Leading		Points (pt)
X-height	16	mm	X-height		mm

Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel
Braille text

Approved Irish spelling:



Size Spec

1200	Height	550	Width	0	Depth	(mm)
Braille		☐	Yes	☒	No	

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	280	Points (pt)	Size:		Points (pt)
Leading	305	Points (pt)	Leading		Points (pt)
X-height	50	mm	X-height		mm


Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel

Approved Irish spelling:



Size Spec

250	Height	400	Width	Depth	(mm)
Braille		☐ Yes	☒ No		

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	80	Points (pt)	Size:		Points (pt)
Leading	100	Points (pt)	Leading		Points (pt)
X-height	15	mm	X-height		mm

Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel

Approved Irish spelling:





Size Spec

200	Height	400	Width	Depth	(mm)
	Braille	☐	Yes	☒	No

Text Spec

Font 1: Helvetica Regular			Font 2:	
Size:	156	Points (pt)	Size:	Points (pt)
Leading	245	Points (pt)	Leading	Points (pt)
X-height	30	mm	X-height	mm


Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel

Approved Irish spelling:



Size Spec

200	Height	400	Width	Depth	(mm)
	Braille	☐	Yes	☒	No

Text Spec

Font 1: Helvetica Regular			Font 2:	
Size:	96	Points (pt)	Size:	Points (pt)
Leading	119	Points (pt)	Leading	Points (pt)
X-height	17	mm	X-height	mm


Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel

Approved Irish spelling:



Size Spec

210	Height	350	Width	Depth	(mm)
		Braille	☒ Yes	☐ No	

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	100	Points (pt)	Size:		Points (pt)
Leading	120	Points (pt)	Leading		Points (pt)
X-height	20	mm	X-height		mm


Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel
Braille text

Approved Irish spelling:



Size Spec

210	Height	300	Width	Depth	(mm)
Braille		☒ Yes	☐ No		

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	100	Points (pt)	Size:	Points (pt)	
Leading	120	Points (pt)	Leading	Points (pt)	
X-height	20	mm	X-height	mm	

Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel
Braille text

Approved Irish spelling:



Size Spec

200	Height	150	Width	Depth	(mm)
Braille		☒ Yes	☐ No		

Text Spec

Font 1:		Font 2:	
Size:	Points (pt)	Size:	Points (pt)
Leading	Points (pt)	Leading	Points (pt)
X-height	mm	X-height	mm

Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel
Braille Text

Approved Irish spelling:



Leithris Phoiblí

Príomh-halla

Seomra cruinnithe
1 & 2

Playshack

Seomra ag athrú

Seomra garchabhrach

Seomra fisio

Seomra folláine



Public Toilets

Main Hall

Meeting Room
1 & 2

Playshack

Changing Rooms

First Aid Room

Physio Room

Fitness Suite

Size Spec

1220	Height	1620	Width	5	Depth	(mm)
Braille		☐	Yes	☒	No	

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	210	Points (pt)	Size:		Points (pt)
Leading	358	Points (pt)	Leading		Points (pt)
X-height	40	mm	X-height		mm

Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel

Approved Irish spelling:

Signage proposal



Size Spec

Height	Width	5	Depth	(mm)
Braille	☐ Yes		☒ No	

Text Spec

Font 1:		Font 2:	
Size:	Points (pt)	Size:	Points (pt)
Leading	Points (pt)	Leading	Points (pt)
X-height	mm	X-height	mm

Colour Spec

Colour 1	Colour 2
CMYK Value	
HEX Value	
Pantone (PMS)	
RAL	
Light Reflective Value (LRV)	

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel

Approved Irish spelling:



Size Spec

670	Height	400	Width	5	Depth	(mm)
Braille		☐ Yes	☒ No			

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	170	Points (pt)	Size:		Points (pt)
Leading	200	Points (pt)	Leading		Points (pt)
X-height	33	mm	X-height		mm

Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel

Approved Irish spelling:



Size Spec

800	Height	400	Width	5	Depth	(mm)
Braille		☐	Yes	☒	No	

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	175	Points (pt)	Size:		Points (pt)
Leading	210	Points (pt)	Leading		Points (pt)
X-height	35	mm	X-height		mm

Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel

Approved Irish spelling:



Size Spec

1220	Height	1620	Width	5	Depth	(mm)
Braille		☐	Yes	☒	No	

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	210	Points (pt)	Size:		Points (pt)
Leading	358	Points (pt)	Leading		Points (pt)
X-height	40	mm	X-height		mm

Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel

Approved Irish spelling:



Size Spec

200	Height	150	Width	Depth	(mm)
	Braille	☒ Yes		☐ No	

Text Spec

Font 1:		Font 2:	
Size:	Points (pt)	Size:	Points (pt)
Leading	Points (pt)	Leading	Points (pt)
X-height	mm	X-height	mm

Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel
Braille Text

Approved Irish spelling:



Size Spec

150	Height	250	Width	5	Depth	(mm)
Braille		☐	Yes	☒	No	

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	90	Points (pt)	Size:		Points (pt)
Leading	114	Points (pt)	Leading		Points (pt)
X-height	16	mm	X-height		mm

Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel

Approved Irish spelling:



Size Spec

250	Height	350	Width	5	Depth	(mm)
	Braille	☒	Yes	☐	No	

Text Spec

Font 1: Helvetica Regular			Font 2:	
Size:	90	Points (pt)	Size:	Points (pt)
Leading	114	Points (pt)	Leading	Points (pt)
X-height	16	mm	X-height	mm


Colour Spec

Colour Spec	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel
Braille Text

Approved Irish spelling:



Size Spec

150	Height	250	Width	5	Depth	(mm)
Braille		☐	Yes	☒	No	

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	90	Points (pt)	Size:		Points (pt)
Leading	114	Points (pt)	Leading		Points (pt)
X-height	16	mm	X-height		mm


Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel

Approved Irish spelling:



Size Spec

250	Height	350	Width	5	Depth	(mm)
Braille		☒ Yes	☐ No			

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	90	Points (pt)	Size:	Points (pt)	
Leading	114	Points (pt)	Leading	Points (pt)	
X-height	16	mm	X-height	mm	


Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel
Braille Text

Approved Irish spelling:



Size Spec

210	Height	300	Width	Depth	(mm)
Braille			☒ Yes	☐ No	

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	81	Points (pt)	Size:		Points (pt)
Leading	97	Points (pt)	Leading		Points (pt)
X-height	15	mm	X-height		mm


Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel
Braille text

Approved Irish spelling:



Size Spec

210	Height	300	Width	Depth	(mm)
Braille		☒ Yes	☐ No		

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	91	Points (pt)	Size:	Points (pt)	
Leading	110	Points (pt)	Leading	Points (pt)	
X-height	17	mm	X-height	mm	


Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel
Braille text

Approved Irish spelling:



Size Spec

210	Height	300	Width	Depth	(mm)
Braille		☒ Yes	☐ No		

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	81	Points (pt)	Size:	Points (pt)	
Leading	97.2	Points (pt)	Leading	Points (pt)	
X-height	15	mm	X-height	mm	


Colour Spec

Colour 1		Colour 2	
CMYK Value		C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value		#e6e7e8	#1e2727
Pantone (PMS)		Pantone 663C	Pantone 447CP
RAL		RAL9003	RAL9011
Light Reflective Value (LRV)		83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel
Braille text

Approved Irish spelling:



Size Spec

210	Height	300	Width	Depth	(mm)
Braille		☒ Yes	☐ No		

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	81	Points (pt)	Size:	Points (pt)	
Leading	97.2	Points (pt)	Leading	Points (pt)	
X-height	15	mm	X-height	mm	


Colour Spec

Colour 1		Colour 2			
CMYK Value		C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69		
HEX Value		#e6e7e8	#1e2727		
Pantone (PMS)		Pantone 663C	Pantone 447CP		
RAL		RAL9003	RAL9011		
Light Reflective Value (LRV)		83	2		

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel
Braille text

Approved Irish spelling:



Size Spec

300	Height	400	Width	5	Depth	(mm)
Braille		☐	Yes	☒	No	

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	88	Points (pt)	Size:		Points (pt)
Leading	110	Points (pt)	Leading		Points (pt)
X-height	18	mm	X-height		mm

Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel

Approved Irish spelling:



Size Spec

210	Height	300	Width	Depth	(mm)
Braille		☒ Yes	☐ No		

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	81	Points (pt)	Size:	Points (pt)	
Leading	97.2	Points (pt)	Leading	Points (pt)	
X-height	15	mm	X-height	mm	


Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel
Braille text

Approved Irish spelling:



Size Spec

210	Height	300	Width	Depth	(mm)
Braille		☒ Yes	☐ No		

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	75	Points (pt)	Size:	Points (pt)	
Leading	90	Points (pt)	Leading	Points (pt)	
X-height	14	mm	X-height	mm	


Colour Spec

	Colour 1	Colour 2
CMYK Value	C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69
HEX Value	#e6e7e8	#1e2727
Pantone (PMS)	Pantone 663C	Pantone 447CP
RAL	RAL9003	RAL9011
Light Reflective Value (LRV)	83	2

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel
Braille text

Approved Irish spelling:



Size Spec

200	Height	1000	Width	Depth	(mm)
Braille		☐ Yes	☒ No		

Text Spec

Font 1: Helvetica Regular			Font 2:		
Size:	136	Points (pt)	Size:	Points (pt)	
Leading	170	Points (pt)	Leading	Points (pt)	
X-height	27	mm	X-height	mm	

Colour Spec

Colour 1		Colour 2			
CMYK Value		C:0 M:0 Y:0 K:10	C:77 M:63 Y:64 K:69		
HEX Value		#e6e7e8	#1e2727		
Pantone (PMS)		Pantone 663C	Pantone 447CP		
RAL		RAL9003	RAL9011		
Light Reflective Value (LRV)		83	2		

Material Spec

Aluminium Composite Panel
Digital Print 10year +
UV Laminate Protection
Aluminium Composite Fixing Panel

Approved Irish spelling: